

**Actual Size:** 60"L x 30"W x 21"H

**Floor Dimensions:** 46"L x 20"W

**Shipping Size:** 63"L x 33"W x 29"H

**Net Weight:** 160 lbs.

**Shipping Weight:** 220 lbs.

**Unoccupied Water Capacity:** 61 gal.

**Drainage Time:** +/- 120 seconds at ideal plumbing conditions (unoccupied)

**Included Features:**

1. Acrylic Tub Shell
  - Gloss white finish
  - Fiberglass gelcoat reinforced
2. Stainless steel frame with adjustable leveling Legs.
3. Unique tempered glass inward swing door with a brushed finish aluminum frame.
4. 2" Brass Drain with overflow

**Jetting & Therapy Options:**

1. Air Massage
2. Hydro Massage
3. Microbubble Therapy
4. Soaking Option (No Jets)

Air Massage Option Shown Below



**Jetting Options:**

**Air Massage:**

- Air Massage Pump
- 3 Speed Pump
- Auto-purge (Activates 20 minutes after pump shutdown)
- 20 jets
- On/Off push control

**Hydro Massage:**


- Hydro Massage Pump
- Hydro Massage Intensity Dial Control
- In-line Water Heater
- Ozone Sterilization
- 7 jets
- On/Off Push Control

**Microbubble Therapy:**

- Air Pressure Pump
- Pressure Tank
- On/Off push control

**Optional Feature:**

Glass Shower Screen




**Warranty:** Lifetime limited warranty on shell, frame, door, and parts to original purchaser/address.

**Note:** Faucet not included. A pre-existing or new wall-mounted faucet must be used.

# Laydown60 Tub Specifications

Hydro Massage Option Shown Below



# Laydown Tub Shower Screen Install

Glass shower screen needs to align with glass door below to prevent leaks



The gasket needs to point inward towards the tub

