C by ella's bubbles

Barrier Free, Roll In Shower 60" x 33" Ella Plus 36 - Center Drain



Outside Dimensions: 33.375"W x 60"L x 77.75"H Shipping Dimensions: 48" W x 79" L x 84" H Shipping Weight: 437 lbs. Net Weight: 423 lbs. Threshold Height: 3/4" Change of Level L

Package Options:

- White (W), Bone (BN) or Biscuit (B) Shower Panels
- Standard, Plus 24, Plus 36, Freedom, Deluxe, or Elite (premium fixtures in white, brilliant or satin)
- Flange Trim Molding Kit
- Multi-Piece Window Trim Kit
- Flat Wall Option: no soap ledges

Panels:

 Shower Base
 33.375" W x 60" L x 4.5" H

 Side Wall Panel Left
 33.375" W x 73.25" H

 Side Wall Panel Right
 33.375" W x 73.25" H

 Rear Wall Panel Bottom
 60" L x 44" H

 Rear Wall Panel Top
 60" L x 29.25" H

Features:

- Premium marine grade gel-coat, five piece shower with 8" classic tile pattern
- Wood and steel reinforced walls for placing grab bars and seats anywhere (not dependent on stud locations)
- Easy shower wall assembly pin-lock system allowing front side installation
- Precision fit wall panel seams (match into grout pattern)
- Grip-Sure[™] floor texture
- Self supporting, pre-leveled shower base (no mudset required)
- Shower door friendly (squared corners allow door installation)
- Ships pre-assembled, heavy duty crating protects product in transit

Accessories:

- [1] Three (3) 36" Fine Finished Stainless Steel Grab Bars
- [2] 24" x 16" Four-Legged Foldup Seat, 500 lb. cap
- [3] 2" Chrome strainer brass drain with friction seal
- [4] Collapsible Dam Kit

Codes:

IPC, UPC, ANSI Z 124.2, NAHB, HUD, FHA

Warranty:

30 Year Limited Lifetime Warranty (on shower panels)*

*For more information please visit www.ellasbubbles.com

L Change of Level threshold has manageable 1/4" vertical rise to easily coordinate with minimum finished flooring.

B by ella's bubbles

Barrier Free, Roll In Shower 60" x 33" Ella Plus 36 Accessories

	2.	3.	4. Round End Cap End Cap Collapsible Dam
Fine Brushed Stainless Steel Concealed Flange Grab Bars	Four Legged Foldup Seat (500 lbs. Weight Capacity)	2" Chrome Strainer Brass Drain with Friction Seal	Collapsible Rubber Dam White PVC with End Caps

C by ella's bubbles

Barrier Free, Roll In Shower 60" x 33" 6033 BF 5P .75 - Center Drain


SIDE VIEW FRONT VIEW Seam In Back Wall 77 3/4" 44 3<u>1</u>"_ ·571 ·60" TOP VIEW Location Of Easy Base - 33 ^{3/8}" Detail of 3/4" Threshold 4" Slope Per Foot. Finished ۲Ś 3ò" Floor <u>1</u>"J -Easy Base 15 ^{1/2}"

Disclaimer:

In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment. Due to the nature of the materials, dimensions may vary $\pm 1/2^{"}$.

Cella by ella's bubbles

Barrier Free, Roll In Shower Features



Twice the weight and twice the raw materials used in the construction of our showers than listed by any of our competitors.

Wood reinforced core walls and high density base. Metal conduit around perimeter of EACH panel for added strength.

FRONT SIDE INSTALLATION




An installation may be finished in a fraction of the time. No more need to get behind the panels to bolt large panels together.





ADAPTABILITY Customized Accessory Placement



SHOWER DOOR FRIENDLY

Your choice: Curtain or Door

Square corners in Ella shower construction allow for framed or frameless shower doors to be installed.



Image for Illustration only

Your Project won't be held up

Ella showers are manufactured, inspected and shipped directly from the factory within 5 - 7 business days.

Rush orders are available upon request (white only). No order is too big or small.

SMART PACKING Multi-piece Shower in a Box



In stock for Rapid Ship

