C by ella's bubbles

Barrier Free, Roll In Shower 62" x 32" Ella Plus 36 - Center Drain

ADA Certified



Outside Dimensions: 32.25" W x 62.625" L x 79" H Shipping Dimensions: 60" W x 48" L x 72" H Shipping Weight: 492 lbs. Net Weight: 442 lbs. Threshold Height: 3/4" Change of Level L

Model

6232 BF 5P .75 C-W SP36 6232 BF 5P .75 C-B SP36 6232 BF 5P .75 C-BN SP36

Package Options:

- White (W), Bone (BN) or Biscuit (B) Shower Panels
- Plus 24, Plus 36, or Deluxe
- Flange Trim Molding Kit
- Multi-Piece Window Trim Kit

Panels:

Shower Base	. 32.25" W x 62.625" L x 3.5" H
Side Wall Panel Left	. 32.25" W x 79" H
Side Wall Panel Right	. 32.25" W x 79" H
Rear Wall Panel	. 62.625" L x 79" H

Features:

- Premium marine grade gel-coat, four piece shower with classic tile pattern
- Wood and steel reinforced walls for placing grab bars and seats anywhere (not dependent on stud locations)
- Easy shower wall assembly pin-lock system allowing front side installation
- Precision fit wall panel seams (match into grout pattern)
- Grip-Sure[™] floor texture
- Molded soap ledges
- Self supporting, pre-leveled shower base (no mudset required)
- Shower door friendly (squared corners allow door installation)
- Ships pre-assembled, heavy duty crating protects product in transit

Accessories:

The accessories are shipped loose to be installed in the field

- Three (3) 36" Fine Brushed Stainless Steel Conceiled Flange Grab Bars
- Four Legged Foldup Seat (500 lbs. weigh capacity)
- 2" Chrome Strainer Brass Drain with Friction Seal
- Collapsible Rubber Dam White PVC with End Caps



ADA, IPC, UPC, ANSI Z 124.2, NAHB, HUD, FHA, MAS, TAS

Warranty:

30 Year Limited Lifetime Warranty (on shower panels)*


*For more information please visit www.ellasbubbles.com

L Change of Level threshold has manageable 1/4" vertical rise to easily coordinate with minimum finished flooring.

COLO by ella's bubbles

Barrier Free, Roll In Shower 62" x 32" Ella Plus 36 Accessories

	2.	3.	4. Round End Cap End Cap Collapsible Dam
Fine Brushed Stainless Steel Concealed Flange Grab Bars	Four Legged Foldup Seat (500 lbs. Weight Capacity)	2" Chrome Strainer Brass Drain with Friction Seal	Collapsible Rubber Dam White PVC with End Caps
	1	1	1




Disclaimer: In an effort to continually improve our product, specifications and configurations are subject to change without notice. Before ordering or installing, consider future access to essential equipment. Due to the nature of the materials, dimensions may vary ± 1/2".

(-)||(-)|by ella's bubbles

Barrier Free, Roll In Shower Features

The wood




Twice the weight and twice the raw materials used in the construction of our showers than listed by any of our competitors.

Wood reinforced core walls and high density base. Metal conduit around perimeter of EACH panel for added strength.

FRONT SIDE INSTALLATION



An installation may be finished in a fraction of the time. No more need to get behind the panels to bolt large panels together.





walls allow the fixtures to be Exact placement of accessories for installed right any size person. onto the wall Attach studs by Accessories anywhere eliminating to fit the need for ANYONE'S a drywall needs. backing. Custom Seat Placement

SHOWER DOOR FRIENDLY

Your choice: Curtain or Door

Square corners in Ella shower construction allow for framed or frameless shower doors to be installed.



Image for Illustration only

AVAILABILITY

Your Project won't be held up

Ella showers are manufactured, inspected and shipped directly from the factory within 5 - 7 business days.

Rush orders are available upon request (white only). No order is too big or small.

SMART PACKING Multi-piece Shower in a Box



In stock for Rapid Ship

